

Supporting information for

Differential Cytostatic and Cytotoxic Action of Metalloporphyrins Against Human Cancer Cells: Potential Platforms for Anticancer Drug Development.

Punnajit Lim ^a, Atif Mahammed ^b, Zoya Okun ^b, Irena Saltsman ^b, Zeev Gross ^{b,*},

Harry B. Gray ^{c,*}, and John Termini ^{a,*}

^a Department of Molecular Medicine, Beckman Research Institute of the City of Hope, 1450 E. Duarte Road, Duarte, CA 91010, USA

^b Schulich Faculty of Chemistry, Technion – Israel Institute of Technology, Haifa 32000, Israel

^c Beckman Institute, California Institute of Technology, Pasadena, CA 91125, USA

*Correspondence may be addressed to any of these authors. Phone: (626) 301-8169. FAX: (626) 930-5463. Email: jtermini@coh.org, chr10zg@tx.technion.ac.il, hbgray@caltech.edu.

Figure S1.

Cell cycle distributions for breast cancer (MDA-MB-231) cells obtained using ImageXpress^{ultra} system following exposure to various metalloporphyrins (30 μ M of **1-Ga**, **1-Fe**, **1-Mn**, **1-Al**, **2-Mn**, and **3-Mn**).

Figure S2.

Cell cycle distributions for ovarian cancer (OVCAR-3) cells obtained using ImageXpress^{ultra} system following exposure to various metalloporphyrins (30 μ M of **1-Ga**, **1-Fe**, **1-Mn**, **1-Al**, **2-Mn**, and **3-Mn**).



